

# アルミ丸管

定尺: 4000

寸法 径×厚み	m/kg	A1070	A5052	A6063		寸法	m/kg	A1070	A5052	A6063	
		引抜	引抜	引抜	押出			引抜	引抜	引抜	押出
6 × 1.0	0.043	○		○		19 × 3.0	0.408	○			
8 × 0.8	0.049	○				20 × 1.0	0.169	○		○	○
8 × 1.0	0.060	○		○		20 × 1.4	0.223		○		
8 × 1.4	0.079		○			20 × 1.5	0.238	○		○	○
9 × 1.0	0.068			○		20 × 2.0	0.308	○	○	○	○
10 × 1.0	0.077	○		○	○	20 × 3.0	0.433		○		
10 × 1.4	0.103		○			22 × 1.0	0.179	○		○	○
10 × 1.5	0.109	○				22 × 1.5	0.262	○		○	○
11 × 1.0	0.085				○	22 × 2.0	0.342	○	○	○	○
12 × 1.0	0.094	○	○	○	○	22 × 3.0	0.485		○	○	
12 × 2.0	0.171	○	○			25 × 1.0	0.205	○		○	○
12.7 × 1.0	0.099	○				25 × 1.5	0.301	○		○	○
13 × 1.0	0.102				○	25 × 1.6	0.320		○		
14 × 1.0	0.111	○			○	25 × 2.0	0.393	○	○	○	○
14 × 2.0	0.205	○				25 × 3.0	0.561	○	○	○	○
15 × 1.0	0.119	○		○	○	28 × 1.0	0.230			○	○
15 × 1.4	0.163		○			28 × 1.5	0.338			○	○
16 × 1.0	0.128	○		○	○	28 × 1.6	0.361		○		
16 × 1.5	0.186	○		○	○	28 × 2.0	0.444	○	○	○	○
16 × 2.0	0.239	○	○			28 × 3.0	0.638		○		○
16 × 3.0	0.332		○			30 × 1.0	0.248	○		○	○
17 × 1.0	0.136	○				30 × 1.4	0.342		○		
18 × 1.0	0.145	○		○	○	30 × 1.5	0.363			○	○
18 × 1.5	0.211	○		○		30 × 2.0	0.479	○	○	○	○
19 × 1.0	0.153	○	○	○	○	30 × 3.0	0.692	○	○	○	○
19 × 1.5	0.223	○		○	○	32 × 1.0	0.264			○	
19 × 2.0	0.289	○	○	○		32 × 1.5	0.389			○	○

※ 重量参考値

\*在庫状況・切断等につきましてはお問合せ下さい。

# アルミ丸管

定尺: 4000

寸法 径×厚み	m/kg	A1070	A5052	A6063		寸法	m/kg	A1070	A5052	A6063	
		引抜	引抜	引抜	押出			引抜	引抜	引抜	押出
32 × 2.0	0.513	○	○	○	○	50 × 2.0	0.820	○	○	○	○
32 × 3.0	0.743	○	○	○	○	50 × 3.0	1.205	○	○	○	○
35 × 1.0	0.289			○		50 × 4.0	1.572	○	○		
35 × 1.5	0.427			○	○	50 × 5.0	1.912	○	○	○	○
35 × 2.0	0.564	○	○	○	○	55 × 2.0	0.901			○	○
35 × 3.0	0.820	○	○	○	○	55 × 3.0	1.326			○	○
38 × 1.5	0.465			○	○	55 × 5.0	2.125	○	○		
38 × 2.0	0.615	○	○	○	○	55 × 8.0	3.215		○		
38 × 3.0	0.898	○	○	○	○	60 × 2.0	0.991		○	○	○
38 × 3.75	1.098		○			60 × 3.0	1.461	○	○	○	○
38 × 4.0	1.156		○			60 × 4.0	1.914	○	○		
38 × 5.0	1.403		○			60 × 5.0	2.337	○	○	○	○
40 × 1.0	0.333	○		○		65 × 2.0	1.077				○
40 × 1.5	0.491			○	○	65 × 3.0	1.590	○	○	○	○
40 × 2.0	0.649	○	○	○	○	65 × 5.0	2.565	○	○		
40 × 3.0	0.949	○	○	○	○	70 × 3.0	1.718	○	○	○	○
40 × 4.0	1.224	○	○			70 × 5.0	2.762	○	○	○	
40 × 5.0	1.487		○			75 × 3.0	1.846	○	○	○	○
42 × 2.0	0.680	○				75 × 5.0	2.975	○	○		
43 × 1.5	0.529	○				80 × 3.0	1.975	○	○	○	○
45 × 1.0	0.374			○		80 × 4.0	2.598		○		
45 × 1.5	0.555				○	80 × 5.0	3.187	○	○	○	
45 × 2.0	0.735	○	○	○	○	85 × 5.0	3.400	○			
45 × 3.0	1.077	○	○	○	○	90 × 3.0	2.230	○		○	○
45 × 5.0	1.700	○	○			90 × 4.0	2.939		○		
50 × 1.0	0.417			○		90 × 5.0	3.612	○	○	○	○
50 × 1.5	0.618	○		○	○	100 × 3.0	2.486	○	○	○	○

※ 重量参考値

\*在庫状況・切断等につきましてはお問合せ下さい。

