

黄銅丸管

JIS 規格 H3300 C2700T H

旧 呼 称 BsT2

特性の概要 押広げ性、曲げ性、絞り性、メッキ性に優れている。

用 途 熱交換器、カーテンレール、衛生管、諸機器部品 等

寸 法	P/kg		寸 法	P/kg	
1.6 × 0.3 × 2000	0.02	○	9.53 × 0.5 × 5000	0.61	○
2.0 × 0.35 × 2000	0.03	○	9.53 × 0.8 × 5000	0.94	○
2.5 × 0.4 × 2000	0.05	○	9.53 × 1.0 × 5000	1.15	○
3.0 × 0.5 × 2500	0.08	○	9.53 × 1.2 × 5000	1.35	○
4.0 × 0.5 × 2500	0.12	○	9.53 × 1.5 × 5000	1.63	○
4.0 × 0.8 × 2500	0.17	○	10.0 × 0.5 × 5000	0.63	○
4.0 × 1.0 × 2500	0.20	○	10.0 × 0.8 × 5000	0.98	○
5.0 × 0.5 × 5000	0.30	○	10.0 × 1.0 × 5000	1.20	○
5.0 × 0.8 × 5000	0.45	○	10.0 × 1.5 × 5000	1.70	○
5.0 × 1.0 × 5000	0.53	○	10.0 × 2.0 × 5000	2.14	○
6.0 × 0.5 × 5000	0.37	○	11.0 × 0.8 × 5000	1.09	○
6.0 × 0.8 × 5000	0.56	○	11.0 × 1.0 × 5000	1.34	○
6.0 × 1.0 × 5000	0.67	○	11.0 × 1.5 × 5000	1.90	○
6.0 × 1.2 × 5000	0.77	○	12.0 × 0.8 × 5000	1.20	○
6.0 × 1.5 × 5000	0.90	○	12.0 × 1.0 × 5000	1.47	○
6.4 × 0.5 × 5000	0.40	○	12.0 × 1.2 × 5000	1.73	○
6.4 × 0.8 × 5000	0.60	○	12.0 × 1.5 × 5000	2.10	○
6.4 × 1.0 × 5000	0.73	○	12.0 × 2.0 × 5000	2.67	○
7.0 × 0.5 × 5000	0.43	○	12.7 × 0.5 × 5000	0.81	○
7.0 × 1.0 × 5000	0.80	○	12.7 × 0.8 × 5000	1.27	○
8.0 × 0.5 × 5000	0.50	○	12.7 × 1.0 × 5000	1.56	○
8.0 × 0.8 × 5000	0.77	○	12.7 × 1.2 × 5000	1.84	○
8.0 × 1.0 × 5000	0.93	○	12.7 × 1.5 × 5000	2.24	○
8.0 × 1.2 × 5000	1.09	○	12.7 × 2.0 × 5000	2.86	○
8.0 × 1.5 × 5000	1.30	○	13.0 × 1.0 × 5000	1.60	○
8.0 × 2.0 × 5000	1.60	○	14.0 × 0.8 × 5000	1.41	○
9.0 × 0.5 × 5000	0.57	○	14.0 × 1.0 × 5000	1.74	○
9.0 × 0.8 × 5000	0.88	○	14.0 × 1.5 × 5000	2.50	○
9.0 × 1.0 × 5000	1.07	○	14.0 × 2.0 × 5000	3.20	○

※ 重量参考 値

*在庫状況・切断等につきましてはお問合せ下さい。

黄銅丸管

寸 法	P/kg		寸 法	P/kg	
15.0 × 1.0 × 5000	1.87	○	22.0 × 1.0 × 5000	2.80	○
15.0 × 1.5 × 5000	2.70	○	22.0 × 1.2 × 5000	3.33	○
15.0 × 2.0 × 5000	3.47	○	22.0 × 1.5 × 5000	4.11	○
15.88 × 0.5 × 5000	1.03	○	22.0 × 2.0 × 5000	5.34	○
15.88 × 0.8 × 5000	1.61	○	22.0 × 3.0 × 5000	7.61	○
15.88 × 1.0 × 5000	1.99	○	22.0 × 4.0 × 5000	9.61	○
15.88 × 1.2 × 5000	2.35	○	24.0 × 2.0 × 5000	5.87	○
15.88 × 1.5 × 5000	2.88	○	25.0 × 1.0 × 5000	3.20	○
15.88 × 2.0 × 5000	3.71	○	25.0 × 2.0 × 5000	6.14	○
15.88 × 3.0 × 5000	5.16	○	25.0 × 2.5 × 5000	7.51	○
17.0 × 2.0 × 5000	4.01	○	25.0 × 3.0 × 5000	8.81	○
18.0 × 1.0 × 5000	2.27	○	25.4 × 0.5 × 5000	1.66	○
18.0 × 1.5 × 5000	3.30	○	25.4 × 0.8 × 5000	2.63	○
18.0 × 2.0 × 5000	4.27	○	25.4 × 1.0 × 5000	3.26	○
18.0 × 3.0 × 5000	6.01	○	25.4 × 1.2 × 5000	3.88	○
19.05 × 0.5 × 5000	1.24	○	25.4 × 1.5 × 5000	4.79	○
19.05 × 0.8 × 5000	1.95	○	25.4 × 2.0 × 5000	6.25	○
19.05 × 1.0 × 5000	2.41	○	25.4 × 2.5 × 5000	7.64	○
19.05 × 1.2 × 5000	2.86	○	25.4 × 3.0 × 5000	8.97	○
19.05 × 1.5 × 5000	3.51	○	25.4 × 5.0 × 5000	13.62	○
19.05 × 2.0 × 5000	4.55	○	28.0 × 1.0 × 5000	3.60	○
19.05 × 3.0 × 5000	6.43	○	28.0 × 1.5 × 5000	5.31	○
20.0 × 1.0 × 5000	2.54	○	28.0 × 2.0 × 5000	6.94	○
20.0 × 1.5 × 5000	3.71	○	28.0 × 4.0 × 5000	12.82	○
20.0 × 2.0 × 5000	4.81	○	28.5 × 1.5 × 5000	5.41	○
20.0 × 3.0 × 5000	6.81	○	28.5 × 2.0 × 5000	7.08	○
21.7 × 2.5 × 5000	6.41	○	28.5 × 3.0 × 5000	10.21	○
22.0 × 0.5 × 5000	1.44	○	28.5 × 5.0 × 5000	15.69	○
22.0 × 0.8 × 5000	2.26	○	30.0 × 1.0 × 5000	3.87	○

※ 重量参考 値

*在庫状況・切断等につきましてはお問合せ下さい。

黄銅丸管

寸 法	P/kg		寸 法	P/kg	
30.0 × 1.5 × 5000	5.71	○	38.1 × 5.0 × 5000	22.10	○
30.0 × 2.0 × 5000	7.48	○	40.0 × 1.0 × 5000	5.21	○
30.0 × 3.0 × 5000	10.81	○	40.0 × 1.5 × 5000	7.71	○
30.0 × 4.0 × 5000	13.89	○	40.0 × 2.0 × 5000	10.15	○
30.0 × 5.0 × 5000	16.69	○	40.0 × 3.0 × 5000	14.82	○
31.8 × 0.8 × 5000	3.31	○	40.0 × 4.0 × 5000	19.23	○
31.8 × 1.0 × 5000	4.11	○	40.0 × 5.0 × 5000	23.37	○
31.8 × 1.2 × 5000	4.90	○	42.0 × 1.0 × 5000	5.47	○
31.8 × 1.5 × 5000	6.07	○	42.0 × 4.0 × 5000	20.29	○
31.8 × 2.0 × 5000	7.96	○	42.7 × 1.5 × 5000	8.25	○
31.8 × 3.0 × 5000	11.54	○	42.7 × 3.0 × 5000	15.90	○
31.8 × 4.0 × 5000	14.85	○	44.5 × 1.0 × 5000	5.81	○
31.8 × 5.0 × 5000	17.89	○	44.5 × 1.5 × 5000	8.61	○
34.0 × 3.0 × 5000	12.42	○	44.5 × 2.0 × 5000	11.35	○
34.0 × 4.0 × 5000	16.02	○	44.5 × 3.0 × 5000	16.62	○
35.0 × 1.0 × 5000	4.54	○	44.5 × 5.0 × 5000	26.37	○
35.0 × 1.2 × 5000	5.42	○	48.0 × 5.0 × 5000	28.71	○
35.0 × 1.5 × 5000	6.71	○	48.6 × 3.0 × 5000	18.27	○
35.0 × 2.0 × 5000	8.81	○	50.0 × 1.5 × 5000	9.71	○
35.0 × 3.0 × 5000	12.82	○	50.0 × 2.0 × 5000	12.82	○
35.0 × 5.0 × 5000	20.03	○	50.0 × 3.0 × 5000	18.83	○
36.0 × 3.0 × 5000	13.22	○	50.0 × 4.0 × 5000	24.57	○
38.1 × 0.8 × 5000	3.98	○	50.0 × 5.0 × 5000	30.04	○
38.1 × 1.0 × 5000	4.95	○	50.8 × 1.0 × 5000	6.65	○
38.1 × 1.2 × 5000	5.91	○	50.8 × 1.2 × 5000	7.95	○
38.1 × 1.5 × 5000	7.33	○	50.8 × 1.5 × 5000	9.87	○
38.1 × 2.0 × 5000	9.64	○	50.8 × 2.0 × 5000	13.03	○
38.1 × 3.0 × 5000	14.06	○	50.8 × 3.0 × 5000	19.15	○
38.1 × 4.0 × 5000	18.21	○	50.8 × 4.0 × 5000	24.99	○

※ 重量参考 値

*在庫状況・切断等につきましてはお問合せ下さい。

黄銅丸管

寸 法	P/kg		寸 法	P/kg	
50.8 × 5.0 × 5000	30.58	○	76.2 × 4.0 × 5000	38.56	○
54.0 × 1.5 × 5000	10.51	○	76.2 × 5.0 × 5000	47.53	○
55.0 × 3.0 × 5000	20.83	○	76.2 × 6.0 × 5000	56.24	○
55.0 × 5.0 × 5000	33.38	○	80.0 × 3.0 × 5000	30.84	○
57.15 × 1.5 × 5000	11.15	○	80.0 × 5.0 × 5000	50.07	○
57.15 × 3.0 × 5000	21.69	○	82.5 × 3.0 × 5000	31.84	○
57.15 × 4.0 × 5000	28.39	○	82.5 × 5.0 × 5000	51.74	○
57.15 × 5.0 × 5000	34.81	○	88.9 × 3.0 × 5000	34.41	○
60.0 × 1.5 × 5000	11.72	○	88.9 × 5.0 × 5000	56.01	○
60.0 × 2.0 × 5000	15.49	○	95.0 × 3.0 × 5000	36.85	○
60.3 × 3.0 × 5000	22.95	○	95.0 × 5.0 × 5000	60.08	○
60.3 × 4.0 × 5000	30.07	○	101.6 × 1.6 × 5000	21.36	○
60.3 × 5.0 × 5000	36.92	○	101.6 × 2.0 × 5000	26.60	○
63.5 × 1.2 × 5000	9.98	○	101.6 × 3.0 × 5000	39.49	○
63.5 × 1.5 × 5000	12.42	○	101.6 × 4.0 × 5000	52.13	○
63.5 × 2.0 × 5000	16.42	○	101.6 × 5.0 × 5000	64.49	○
63.5 × 3.0 × 5000	24.23	○	101.6 × 6.0 × 5000	76.59	○
63.5 × 4.0 × 5000	31.78	○	108.0 × 3.0 × 5000	42.06	○
63.5 × 5.0 × 5000	39.05	○	110.0 × 5.0 × 5000	70.10	○
65.0 × 3.0 × 5000	24.83	○	114.3 × 3.0 × 5000	44.58	○
65.0 × 5.0 × 5000	40.06	○	114.3 × 5.0 × 5000	72.97	○
70.0 × 2.0 × 5000	18.16	○	120.0 × 3.0 × 5000	46.86	○
70.0 × 3.0 × 5000	26.84	○	120.0 × 5.0 × 5000	76.77	○
70.0 × 5.0 × 5000	43.39	○	127.0 × 3.0 × 5000	49.67	○
75.0 × 3.0 × 5000	28.84	○	127.0 × 5.0 × 5000	81.45	○
75.0 × 5.0 × 5000	46.73	○	130.0 × 5.0 × 5000	83.45	○
76.2 × 1.6 × 5000	16.11	○	135.0 × 5.0 × 5000	86.79	○
76.2 × 2.0 × 5000	19.81	○	140.0 × 5.0 × 5000	90.12	○
76.2 × 3.0 × 5000	29.32	○	152.4 × 3.0 × 5000	60.51	○

※ 重量参考 値

*在庫状況・切断等につきましてはお問合せ下さい。

