

SUS304平角棒

JIS 規格 COLD= G4318 相当
HOT = G4303 相当

特性の概要 オーステナイト系の代表鋼種。ステンレス鋼として最も広く使用される。
用途 一般化学工業設備、食品製造設備 等

寸法 厚さ×幅	長さ	P/kg	COLD			HOT	寸法 厚さ×幅	長さ	P/kg	COLD			HOT
			COLD	H L	400研磨					COLD	H L	400研磨	
2×6	2000	0.19	○				3×9	4000	0.856	○			
	4000	0.38	○				3×10	4000	0.952	○	○		○
2×8	2000	0.254	○				3×12	4000	1.14	○	○		○
2×9	2000	0.286	○				3×13	4000	1.24	○	○		○
	4000	0.572	○				3×15	4000	1.43	○	○	○	○
2×10	3000	0.477	○				3×16	4000	1.52	○	○		
	4000	0.636	○				3×19	4000	1.81	○	○		○
2×12	4000	0.76	○				3×20	4000	1.90	○	○	○	○
2×15	4000	0.952	○			○	3×22	4000	2.09	○	○		○
2×20	4000	1.27	○			○	3×25	4000	2.38	○	○	○	○
2×25	4000	1.58	○			○	3×30	4000	2.86	○	○	○	○
2×30	4000	1.90	○			○	3×32	4000	3.04	○	○	○	○
2×32	4000	2.03	○			○	3×35	4000	3.33	○	○		○
2×38	4000	2.41				○	3×38	4000	3.62	○	○	○	○
2×40	4000	2.54	○			○	3×40	4000	3.81	○	○	○	○
2×50	4000	3.17	○			○	3×42	4000	4.00	○	○		
							3×45	4000	4.28	○	○		○
3×5	2000	0.238	○				3×48	4000	4.56	○	○		
	3000	0.357	○				3×50	4000	4.76	○	○	○	○
3×6	3000	0.429	○				3×60	4000	5.72	○	○	○	○
	4000	0.572	○				3×65	4000	6.20	○	○		○
3×7	3000	0.501	○				3×75	4000	7.12	○	○		○
	4000	0.668	○				3×100	4000	9.52	○	○		○
3×8	3000	0.57	○				3×110	4000	10.50	○			
	4000	0.76	○				3×120	4000	11.40	○			
3×9	3000	0.642	○				3×125	4000	11.90	○			

※ 重量参考値

*在庫状況・切断等につきましてはお問合せ下さい。

SUS304平角棒

寸 法 厚さ×幅	長さ	P/kg	COLD			HOT	寸 法 厚さ×幅	長さ	P/kg	COLD			HOT
			COLD	H L	4 00 研 磨					COLD	H L	4 00 研 磨	
3×130	4000	12.40	○				5×8	4000	1.27	○			
3×140	4000	13.30	○				5×9	4000	1.43	○			
3×150	4000	14.30	○				5×10	4000	1.59	○	○		
							5×12	4000	1.90	○	○		
4×9	4000	1.14	○				5×13	4000	2.06	○	○		
4×10	4000	1.27	○	○			5×15	4000	2.38	○	○	○	○
4×11	4000	1.40	○	○		○	5×16	4000	2.54	○	○		
4×13	4000	1.65	○	○			5×19	4000	3.01	○	○		○
4×15	4000	1.90	○	○	○	○	5×20	4000	3.17	○	○	○	○
4×16	4000	2.03	○	○			5×22	4000	3.49	○	○		○
4×19	4000	2.41	○	○		○	5×25	4000	3.96	○	○	○	○
4×20	4000	2.54	○	○	○	○	5×30	4000	4.76	○	○	○	○
4×22	4000	2.79	○	○		○	5×32	4000	5.08	○	○	○	○
4×25	4000	3.17	○	○	○	○	5×34	4000	5.40	○	○		
4×30	4000	3.81	○	○	○	○	5×35	4000	5.56	○	○		○
4×32	4000	4.08	○	○	○	○	5×38	4000	6.04	○	○	○	○
4×35	4000	4.44	○	○		○	5×40	4000	6.36	○	○	○	○
4×38	4000	4.84	○	○	○	○	5×50	4000	7.92	○	○	○	○
4×40	4000	5.08	○	○	○	○	5×60	4000	9.52	○	○		○
4×45	4000	5.72	○	○		○	5×65	4000	10.30	○	○		○
4×50	4000	6.36	○	○	○	○	5×75	4000	11.90	○	○		○
4×60	4000	7.60	○	○		○	5×90	4000	14.30	○	○		○
4×65	4000	8.24	○	○		○	5×100	4000	15.80	○	○		○
4×75	4000	9.52	○	○		○	5×130	4000	20.60	○			
4×90	4000	11.40	○	○			5×150	4000	23.80	○			
4×100	4000	12.70	○	○		○							

※ 重量参考 値

*在庫状況・切断等につきましてはお問合せ下さい。

SUS304平角棒

寸法 厚さ×幅	長さ	P/kg	COLD			HOT	寸法 厚さ×幅	長さ	P/kg	COLD			HOT
			COLD	H L	4 00 研 磨					COLD	H L	4 00 研 磨	
6×9	4000	1.71	○				6×75	6000	21.40	○	○		○
6×10	4000	1.90	○	○			6×90	4000	17.10	○	○		○
6×12	4000	2.28	○	○			6×100	4000	19.00	○	○	○	○
6×13	4000	2.48	○	○				6000	28.60	○	○		○
6×15	4000	2.86	○	○	○	○	6×110	4000	20.90	○	○		○
6×16	4000	3.04	○	○			6×120	4000	22.80	○	○		○
6×18	4000	3.42	○	○			6×125	4000	23.80	○	○		○
6×19	4000	3.62	○	○		○	6×130	4000	24.80	○	○		○
6×20	4000	3.81	○	○	○	○	6×140	4000	26.60	○	○		○
6×22	4000	4.20	○	○		○	6×150	4000	28.60	○	○		○
6×25	4000	4.76	○	○	○	○							
6×30	4000	5.72	○	○	○	○	7×20	4000	4.44				○
6×32	4000	6.08	○	○	○	○							
6×35	4000	6.68	○	○		○	8×10	4000	2.54	○	○		
6×38	4000	7.24	○	○	○	○	8×16	4000	4.08	○	○		○
6×40	4000	7.60	○	○	○	○	8×30	4000	7.60				○
6×42	4000	8.00	○	○			8×32	4000	8.12	○	○		○
6×45	4000	8.56	○	○	○	○	8×38	4000	9.64	○	○		○
6×48	4000	9.12	○	○			8×40	4000	10.20				○
6×50	4000	9.52	○	○	○	○	8×50	4000	12.70	○	○		○
	6000	14.30	○	○		○	8×65	4000	16.50				○
6×60	4000	11.40	○	○	○	○	8×75	4000	19.00				○
6×65	4000	12.40	○	○	○	○	8×100	4000	25.40				○
	6000	18.50	○	○		○							
6×70	4000	13.30	○	○		○	9×13	4000	3.71	○	○		○
6×75	4000	14.30	○	○	○	○	9×15	4000	4.28	○	○		○

※ 重量参考値

*在庫状況・切断等につきましてはお問合せ下さい。

SUS304平角棒

寸 法 厚さ×幅	長さ	P/kg	COLD			HOT	寸 法 厚さ×幅	長さ	P/kg	COLD			HOT
			COLD	H L	4 00 研 磨					COLD	H L	4 00 研 磨	
9×16	4000	4.56	○	○		○	9×100	6000	42.80	○	○		○
9×19	4000	5.44	○	○		○	9×125	4000	35.70	○	○		○
9×20	4000	5.72	○	○	○	○		6000	53.50				
9×22	4000	6.28	○	○		○	9×150	4000	42.80	○	○		○
9×25	4000	7.12	○	○	○	○		6000	64.20				
9×30	4000	8.56	○	○	○	○	9×200	4000	57.20	○	○		○
	6000	12.80	○	○			9×250	4000	71.20	○	○		○
9×32	4000	9.12	○	○	○	○	10×15	4000	4.76	○	○		○
	6000	13.7	○	○									
9×35	4000	10.00				○	10×19	4000	6.04	○	○		○
9×38	4000	10.80	○	○	○	○	10×20	4000	6.36	○	○	○	○
	6000	16.30	○	○		○	10×25	4000	7.92	○	○	○	○
9×40	4000	11.40	○	○	○	○	10×30	4000	9.52	○	○	○	○
	6000	17.10	○	○			10×32	4000	10.20	○	○	○	○
9×45	4000	12.80				○	10×35	4000	11.10				○
9×50	4000	14.30	○	○	○	○	10×38	4000	12.00	○	○	○	○
	6000	21.40	○	○		○	10×40	4000	12.70	○	○	○	○
9×55	4000	15.70				○	10×50	4000	15.80	○	○	○	○
9×60	4000	17.10	○	○		○	10×65	4000	20.60	○	○	○	○
9×65	4000	18.60	○	○	○	○	10×75	4000	23.80	○	○	○	○
	6000	27.80	○	○		○	10×100	4000	31.70	○	○		○
9×75	4000	21.40	○	○	○	○	10×125	4000	39.60	○	○		○
	6000	32.10	○	○		○	10×150	4000	47.60	○	○		○
9×90	4000	25.70	○	○		○	10×200	4000	63.60	○	○		○
9×100	4000	28.60	○	○		○	10×250	4000	79.20	○	○		○

※ 重量参考 値

*在庫状況・切断等につきましてはお問合せ下さい。

SUS304平角棒

寸法 厚さ×幅	長さ	P/kg	COLD			HOT	寸法 厚さ×幅	長さ	P/kg	COLD			HOT
			COLD	H L	4 00 研 磨					COLD	H L	4 00 研 磨	
10×300	4000	95.20	○			○	12×100	6000	57.10	○	○		○
							12×125	4000	47.60	○	○		○
12×14	4000	5.32	○				6000	71.40					○
12×15	4000	5.72				○	12×150	4000	57.20	○	○		○
12×16	4000	6.08	○	○			6000	85.80					○
12×19	4000	7.24	○	○		○	12×200	4000	76.00	○	○		○
12×20	4000	7.60	○	○	○	○	12×250	4000	95.20	○	○		○
12×25	4000	9.52	○	○	○	○	12×300	4000	114.00	○			○
12×28	4000	10.60				○							
12×30	4000	11.40	○	○	○	○	16×19	4000	9.64	○	○		
12×32	4000	12.20	○	○	○	○	16×20	4000	10.20	○	○	○	○
	6000	18.30	○	○			16×25	4000	12.70	○	○	○	○
12×35	4000	13.30	○	○		○	16×30	4000	15.20				○
12×38	4000	14.50	○	○	○	○	16×32	4000	16.20	○	○	○	○
	6000	21.70	○	○		○	16×35	4000	17.80				○
12×40	4000	15.20	○	○	○	○	16×38	4000	19.30	○	○	○	○
	6000	22.90	○	○			16×40	4000	20.30	○	○		○
12×50	4000	19.00	○	○	○	○	16×50	4000	25.40	○	○	○	○
	6000	28.60	○	○		○	6000	38.00					○
12×65	4000	24.80	○	○	○	○	16×65	4000	33.00	○	○		○
	6000	37.10	○	○		○	6000	49.50					○
12×70	4000	26.60				○	16×75	4000	38.10	○	○		○
12×75	4000	28.60	○	○	○	○	6000	57.10					○
	6000	42.80	○	○		○	16×90	4000	45.60				○
12×90	4000	34.20	○	○		○	16×100	4000	50.80	○	○		○
12×100	4000	38.10	○	○		○	6000	76.20					○

※ 重量参考値

*在庫状況・切断等につきましてはお問合せ下さい。

SUS304平角棒

寸法 厚さ×幅	長さ	P/kg	COLD			HOT	寸法 厚さ×幅	長さ	P/kg	COLD			HOT
			COLD	H L	4 00 研 磨					COLD	H L	4 00 研 磨	
16×125	4000	63.60	○	○		○	22×30	4000	20.90				○
	6000	95.40				○	22×32	4000	22.30	○			○
16×150	4000	76.00	○	○		○	22×35	4000	24.40				○
	6000	114.00				○	22×38	4000	26.50	○			○
16×200	4000	102.00	○	○		○	22×40	4000	27.90				○
16×250	4000	127.00	○	○		○	22×45	4000	31.40				○
16×300	4000	152.00	○			○	22×50	4000	34.90	○			○
							22×65	4000	45.20	○			○
19×25	4000	15.10	○	○	○	○	22×75	4000	52.40	○			○
19×30	4000	18.10				○	22×100	4000	69.60	○			○
19×32	4000	19.30	○	○	○	○	22×125	4000	87.20				○
19×35	4000	21.10				○	22×150	4000	105.00				○
19×38	4000	22.90	○	○	○	○	22×200	4000	140.00				○
19×40	4000	24.10				○	22×250	4000	174.00				○
19×50	4000	30.10	○	○	○	○	22×300	4000	209.00				○
19×65	4000	39.20	○	○		○							
19×75	4000	45.20	○	○		○	25×32	4000	25.40	○			○
19×90	4000	54.40				○							
19×100	4000	60.40	○	○		○	25×38	4000	30.10	○			○
19×125	4000	75.20	○	○		○	25×40	4000	31.70				○
19×150	4000	90.40	○	○		○	25×50	4000	39.60	○			○
19×200	4000	120.00	○	○		○	25×60	4000	47.60				○
19×250	4000	151.00	○	○		○	25×65	4000	51.60	○			○
19×300	4000	181.00	○			○	25×75	4000	59.60	○			○
20×70	4000	44.4				○	25×100	4000	79.20	○			○
22×25	4000	17.40				○	25×125	4000	99.20	○			○

※ 重量参考値

*在庫状況・切断等につきましてはお問合せ下さい。

SUS304平角棒

寸 法 厚さ×幅	長さ	P/kg	COLD			HOT	寸 法 厚さ×幅	長さ	P/kg	COLD			HOT
			COLD	H L	4 00 研 磨					COLD	H L	4 00 研 磨	
25×150	4000	119.00	○			○	40×75	4000	95.20				○
25×200	4000	158.00	○			○	40×100	4000	127.00				○
25×250	4000	198.00	○			○	40×125	4000	158.00				○
25×300	4000	238.00	○			○	40×150	4000	190.00				○
30×50	4000	47.60	○			○	50×65	4000	103.00				○
30×55	4000	52.40	○			○	50×75	4000	119.00				○
30×65	4000	62.00	○			○	50×100	4000	158.00				○
30×75	4000	71.20	○			○	50×125	4000	198.00				○
30×100	4000	95.20	○			○	50×150	4000	238.00				○
30×125	4000	119.00				○							
30×150	4000	143.00				○	60×75	4000	143.00				○
30×200	4000	190.00				○	60×100	4000	190.00				○
30×250	4000	238.00				○	60×125	4000	238.00				○
30×300	4000	286.00				○	60×150	4000	286.00				○
							65X 75	4000	155.0				○
35×50	4000	55.60	○			○	65X 100	4000	206.00				○
35×55	4000	61.20				○	70×100	4000	222.00				○
35×65	4000	72.00	○			○	70×125	4000	278.00				○
35×75	4000	83.20	○			○	70×150	4000	333.00				○
35×100	4000	111.00	○			○	80×100	4000	254.00				○
35×125	4000	139.00				○	80×125	4000	317.00				○
35×150	4000	166.00				○	80×150	4000	381.00				○
40×50	4000	63.60				○	90×100	4000	286.00				○
40×65	4000	82.40				○	90×125	4000	357.00				○

※ 重量参考 値

*在庫状況・切断等につきましてはお問合せ下さい。

