

SUS304アングル

JIS 規格 G4317 SUS304

特性の概要 オーステナイト系の代表鋼種。ステンレス鋼として最も広く使用される。
用途 錆を嫌がる部分の建築材や機械構造材として使用

寸 法 肉厚×辺×辺	4m				6m			
	P/kg	H L	4 0 0 研 磨	酸 洗 仕 上	P/kg	H L	4 0 0 研 磨	酸 洗 仕 上
3× 20× 20	3.58	○	○	○				
3× 25× 25	4.52	○	○	○				
3× 30× 30	5.48	○	○	○	8.22	○	○	○
3× 35× 35					9.66			○
3× 40× 40	7.40	○	○	○	11.10	○	○	○
3× 45× 45					12.80			○
3× 50× 50	9.48			○	14.20			○
4× 30× 30					10.60			○
4× 35× 35					12.60			○
4× 40× 40	9.64	○	○	○	14.50	○	○	○
4× 45× 45					16.60			○
4× 50× 50	12.40	○		○	18.50	○	○	○
4× 55× 55					20.40			○
5× 30× 30					13.10			○
5× 35× 35					15.50			○
5× 40× 40	11.90	○		○	17.90	○	○	○
5× 45× 45					20.50			○
5× 50× 50	15.20	○		○	22.90	○	○	○
5× 60× 60					27.60			○
5× 65× 65					30.30			○
5× 70× 70					32.70			○
5× 75× 75					35.00			○
6× 30× 30					15.20			○

※ 重量参考 値

*在庫状況・切断等につきましてはお問合せ下さい。

SUS304アングル

寸 法 肉厚×辺×辺	4m				6m			
	P/kg	H L	4 0 0 研 磨	酸 洗 仕 上	P/kg	H L	4 0 0 研 磨	酸 洗 仕 上
6× 35× 35					18.20			○
6× 40× 40					21.00			○
6× 45× 45					24.10			○
6× 50× 50	17.90	○		○	26.90	○	○	○
6× 55× 55					29.80			○
6× 60× 60					32.60			○
6× 65× 65	23.90	○		○	35.80	○	○	○
6× 70× 70					38.60			○
6× 75× 75	27.70	○		○	41.50	○	○	○
6× 80× 80					44.40			○
6× 90× 90					50.20			○
6× 100× 100					55.90			○
7× 70× 70					44.50			○
8× 50× 50					34.70			○
8× 60× 60					42.30			○
8× 65× 65					46.40			○
8× 70× 70					50.20			○
8× 75× 75					54.10			○
8× 80× 80					57.80			○
8× 90× 90					66.00			○
8× 100× 100					73.20			○
9× 50× 50					38.60			○
9× 60× 60					47.20			○

※ 重量参考 値

*在庫状況・切断等につきましてはお問合せ下さい。

SUS304アングル

寸 法 肉厚×辺×辺	4m				6m			
	P/kg	H L	4 0 0 研 磨	酸 洗 仕 上	P/kg	H L	4 0 0 研 磨	酸 洗 仕 上
9× 65× 65					51.80			○
9× 70× 70					56.10			○
9× 75× 75	40.40	○		○	60.60	○	○	○
9× 80× 80					64.80			○
9× 90× 90					73.80			○
9× 100× 100					82.20			○
9× 125× 125					103.00			○
10× 50× 50					42.50			○
10× 60× 60					52.10			○
10× 65× 65					57.10			○
10× 75× 75					66.60			○
10× 80× 80					70.80			○
10× 90× 90					81.00			○
10× 100× 100	60.40			○	90.60	○		○
12× 75× 75					78.60			○
12× 80× 80					84.00			○
12× 90× 90					96.00			○
12× 100× 100					107.00			○
12× 125× 125					136.00			○
12× 130× 130					142.00			○
12X150X150					165.00			○
15× 125× 125					168.00			○
15× 150× 150					203.00			○

※ 重量参考 値

*在庫状況・切断等につきましてはお問合せ下さい。